



BLUE DYNAMIC EFB

Key benefits


- Extended cycle life compared with a conventional battery
- Designed for vehicles with conventional Start-Stop functionality
- VARTA EFB (Enhanced Flooded Battery) technology with consistently high performance for highly equipped cars
- Clean manufacturing with 20% less energy and 20% fewer greenhouse gas emissions. Closed recycling loop with ecosteps® – preserving resources while protecting the environment
- PowerFrame® grid technology for high starting power and reliable performance

For more information visit www.varta-automotive.com

| ORDER INFORMATION | | |
|--------------------------|-------------------|--|
| European Type No. (ETN): | 570 500 065 | |
| Article Number: | 570 500 065 D84 2 | |
| Short Code: | E45 | |
| Barcode: | 4016987144565 | |
| UK Code: | 096EFB | |
| Packaging Unit: | 1 | |
| Quantity per Pallet: | 48 | |

| TECHNICAL INFORMATION | | | | | |
|-----------------------------------|-----|---------------------|--------|--|--|
| Voltage [V]: | 12 | Base Hold-down: | B13 | | |
| Battery Capacity [Ah]: | 70 | Layout: | 0 | | |
| Cold Cranking Amps (CCA), EN [A]: | 650 | Terminal Types: | 1 | | |
| Length [mm]: | 278 | Case Size: | H6/LN3 | | |
| Width [mm]: | 175 | Weight filled (kg): | 19,14 | | |
| Height [mm]: | 190 | | | | |









| Features | SILVER dynamic AGM | BLUE dynamic EFB |
|-------------------------------|-----------------------------------|----------------------------------|
| Number of battery types | 5 Types | 5 Types |
| Primary function | Advanced Start-Stop functionality | Ensures Start-Stop functionality |
| Cold cranking power | CCA 135 % | CCA 115 % |
| Battery technology | AGM – Absorbent Glass Mat | EFB – Enhanced Flooded battery |
| Positive grid / Negative grid | PowerFrame® / Casted grid | PowerFrame® / Expanded grid |
| OE quality | Meets OE requirements | Meets OE requirements |
| Cycling endurance | 3x higher* | 2x higher* |
| Capability of deep discharge | High* | Middle* |

^{*}Compared to conventional batteries